

Before we begin, are there any questions from last day's work?

Today's Learning Goal(s):


By the end of the class, I will be able to:

- a) state the 3 primary trig ratios for an angle in standard position.
- b) determine **exact** trig ratios given one trig ratio, or a point on the terminal arm.

4.1.1 Angles in Standard Position/The Primary Trigonometric Ratios

Date: Oct. 23/18

Let $P(x, y)$ represent a point on the terminal arm of θ .



radius is ALWAYS ≥ 0 .


$$r^2 = x^2 + y^2 \text{ (PT)}$$

SOH CAH TOA

$$\sin \theta = \frac{y}{r} \quad \cos \theta = \frac{x}{r} \quad \tan \theta = \frac{y}{x}$$

SYR CXR TYX

Ex. 1 The point $P(3, 4)$ lies on the terminal arm of θ . Determine the primary trig ratios.




SYR CXR TYX

$$\begin{aligned} \sin \theta &= \frac{y}{r} & \cos \theta &= \frac{x}{r} & \tan \theta &= \frac{y}{x} \\ &= \frac{4}{5} & &= \frac{3}{5} & &= \frac{4}{3} \end{aligned}$$

$$\begin{aligned} r^2 &= x^2 + y^2 \\ &= (3)^2 + (4)^2 \\ &= 9 + 16 \\ r^2 &= 25 \\ r &= \pm \sqrt{25} \\ \text{r} &= 5 \text{ or } r = -5 \text{ BUT } r \geq 0! \\ \therefore r &= 5 \end{aligned}$$

Ex. 2 The point $P(-12, -5)$ lies on the terminal arm of θ . Determine the primary trig ratios.




SYR CXR TYX

$$\begin{aligned} \sin \theta &= \frac{y}{r} & \cos \theta &= \frac{x}{r} & \tan \theta &= \frac{y}{x} \\ &= \frac{-5}{13} & &= \frac{-12}{13} & &= \frac{-5}{-12} \\ & & & & &= \frac{5}{12} \end{aligned}$$

$$\begin{aligned} r^2 &= x^2 + y^2 \\ &= (-12)^2 + (-5)^2 \\ &= 144 + 25 \\ &= 169 \\ r &= \sqrt{169} \\ &= 13 \text{ units} \end{aligned}$$

Ex. 3 Angle θ has its terminal arm in quadrant IV, and $\sin \theta = -\frac{4}{5}$. Determine $\cos \theta$ and $\tan \theta$.



SYR
 $\sin \theta = \frac{y}{r}$
 $= -\frac{4}{5}$
 $\therefore y = -4, r = 5$


CXR
 $\cos \theta = \frac{x}{r}$
 $= \frac{3}{5}$

TYX
 $\tan \theta = \frac{y}{x}$
 $= -\frac{4}{3}$

$x^2 + y^2 = r^2$
 $x^2 + (-4)^2 = (5)^2$
 $x^2 + 16 = 25$
 $x^2 = 25 - 16$
 $x^2 = 9$
 $x = \pm \sqrt{9}$
 $x = \pm 3$

But given in Q. IV
 $\therefore x = 3$

Ex. 4 Angle θ is in standard position. If $\tan \theta = \frac{5}{7}$, determine $\sin \theta$ and $\cos \theta$.



TYX
 $\tan \theta = \frac{y}{x}$
 $= \frac{5}{7}$
 $\therefore y = 5, x = 7$

SYR
 $\sin \theta = \frac{y}{r}$
 $= \frac{5}{\sqrt{74}}$

CXR
 $\cos \theta = \frac{x}{r}$
 $= \frac{7}{\sqrt{74}}$

$r^2 = x^2 + y^2$
 $= (7)^2 + (5)^2$
 $= 49 + 25$
 $= 74$
 $\therefore r = \sqrt{74}$

BUT
 $\tan \theta = \frac{5}{7} \therefore x = -7 \text{ and } y = -5$

$\sin \theta = \frac{-5}{\sqrt{74}}$

$\cos \theta = \frac{-7}{\sqrt{74}}$

Today's Work: **Be well prepared for the Unit 3 Summative Tomorrow**
 (posted online) 4.1.2 1bcdf, 2efgh, 6, 7