

Are there any Homework Questions you would like to see on the board?

Last day's work:

pp. 185-186 #1bde, 3ac, 4ac, 6, 7 [14, 17, 18]

Today's Assigned Practice includes:

Quadratic Functions Wkst #1, 1 – 8
(Optional Wksts 15.7, 14.18)

- ~ Show QRF Development?
- ~ Return and Correct Quiz?
- ~ Return and Correct Summative?

$$\text{Given } ax^2 + bx + c = 0$$

$$a\left(x^2 + \frac{b}{a}x\right) + c = 0$$

$$a\left(x^2 + \frac{b}{a}x + \left(\frac{b}{2a}\right)^2 - \left(\frac{b}{2a}\right)^2\right) = -c$$

$$a\left(x + \frac{b}{2a}\right)^2 + a\left(-\frac{b^2}{4a^2}\right) = -c$$

$$a\left(x + \frac{b}{2a}\right)^2 - \frac{b^2}{4a} = -c$$

$$a\left(x + \frac{b}{2a}\right)^2 = \frac{b^2}{4a} - c$$

$$a\left(x + \frac{b}{2a}\right)^2 = \frac{b^2}{4a} - \frac{4ac}{4a}$$

$$a\left(x + \frac{b}{2a}\right)^2 = \frac{b^2 - 4ac}{4a}$$

$$\frac{1}{a} \left[\frac{a}{1} \left(x + \frac{b}{2a}\right)^2 \right] = \frac{1}{a} \left[\frac{b^2 - 4ac}{4a} \right]$$

$$\left(x + \frac{b}{2a}\right)^2 = \frac{b^2 - 4ac}{4a^2}$$

$$x + \frac{b}{2a} = \pm \sqrt{\frac{b^2 - 4ac}{4a^2}}$$

$$x + \frac{b}{2a} = \pm \frac{\sqrt{b^2 - 4ac}}{2a}$$

$$x = \frac{-b}{2a} \pm \frac{\sqrt{b^2 - 4ac}}{2a}$$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$\left\{ \begin{array}{l} \left(\frac{1}{2} \frac{b}{a}\right)^2 \\ \left(\frac{b}{2a}\right)^2 \end{array} \right.$$

MCR 3UI Quadratic Functions Worksheet #1

Date: _____

- Determine the maximum or minimum value of each quadratic function.
 - $f(x) = x^2 - 6x + 2$
 - $f(x) = 2(x - 4)(x + 6)$
- Graph each function.
 - $f(x) = -3(x - 2)^2 + 5$
 - $f(x) = 2(x + 4)(x - 6)$
 - For each function, state the vertex, the equation of the axis of symmetry, and the domain and range.
 - Express each function in standard form.
- The sum of two numbers is 16. What is the largest possible product between these numbers?
- Graph $f(x) = -\sqrt{x + 3}$ and determine
 - the domain and range of $f(x)$.
 - the equation of f^{-1}
- Determine the equation of the inverse of the quadratic function $f(x) = x^2 - 4x + 3$.
 - State the domain and range of $f(x)$ and its inverse.
 - Sketch the graphs of $f(x)$ and its inverse.
- The revenue for a business is modelled by the function $R(x) = -2.8(x - 10)^2 + 15$, where x is the number of items sold, in thousands, and $R(x)$ is the revenue in thousands of dollars.
 - Express the number sold in terms of the revenue.
 - Almost all linear functions have an inverse that is a function, but quadratic functions do not. Explain why.
- The profit function for a business is given by the equation $P(x) = -4x^2 + 16x - 7$, where x is the number of items sold, in thousands, and $P(x)$ is dollars in thousands. Calculate the maximum profit and how many items must be sold to achieve it.
- The cost per hour of running an assembly line in a manufacturing plant is a function of the number of items produced per hour. The cost function is $C(x) = 0.3x^2 - 1.2x + 2$, where $C(x)$ is the cost per hour in thousands of dollars, and x is the number of items produced per hour, in thousands. Determine the most economical production level.